

Prepared for:
Wild & Rooted

1200 Brickell Bay Drive Suite 107
Miami, FL USA 33131


CBD TINCTURE 1200MG


Batch ID or Lot Number:	Test: Potency	Reported: 28Aug2023	USDA License: N/A
Matrix: Solution	Test ID: T000244703	Started: 25Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 23Aug2023	Status: N/A

Cannabinoids

	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.076	0.181	1.030	1.00	Density = 1g/mL
Cannabichromenic Acid (CBCA)	0.070	0.166	ND	ND	
Cannabidiol (CBD)	0.196	0.474	43.930	43.90	
Cannabidiolic Acid (CBDA)	0.201	0.486	ND	ND	
Cannabidivarin (CBDV)	0.046	0.112	0.190	0.20	
Cannabidivarinic Acid (CBDVA)	0.084	0.203	ND	ND	
Cannabigerol (CBG)	0.043	0.103	0.360	0.40	
Cannabigerolic Acid (CBGA)	0.181	0.431	ND	ND	
Cannabinol (CBN)	0.056	0.134	0.170	0.20	
Cannabinolic Acid (CBNA)	0.123	0.294	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.215	0.513	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.196	0.466	1.820	1.80	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.173	0.413	ND	ND	
Tetrahydrocannabivarin (THCV)	0.039	0.094	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.153	0.364	ND	ND	
Total Cannabinoids			47.500	47.50	
Total Potential THC			1.820	1.80	
Total Potential CBD			43.930	43.90	

Final Approval


Sam Smith
28Aug2023
02:50:00 PM MDT
PREPARED BY / DATE


Karen Winternheimer
28Aug2023
02:52:00 PM MDT
APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f24c2919-5254-44ea-9a02-30a67c344537>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
f24c2919525444ea9a0230a67c344537.1