

Prepared for:

Wild & Rooted

1200 Brickell Bay Drive Suite 107
Miami, FL USA 33131


CBD Tincture 300mg


Batch ID or Lot Number:	Test: Potency	Reported: 28Aug2023	USDA License: N/A
Matrix: Solution	Test ID: T000244702	Started: 25Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 23Aug2023	Status: N/A

Cannabinoids

	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.077	0.185	0.260	0.30	Density = 1g/mL
Cannabichromenic Acid (CBCA)	0.071	0.169	ND	ND	
Cannabidiol (CBD)	0.200	0.483	10.650	10.70	
Cannabidiolic Acid (CBDA)	0.205	0.495	ND	ND	
Cannabidivarin (CBDV)	0.047	0.114	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.085	0.206	ND	ND	
Cannabigerol (CBG)	0.044	0.105	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.184	0.438	ND	ND	
Cannabinol (CBN)	0.057	0.137	ND	ND	
Cannabinolic Acid (CBNA)	0.125	0.299	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.219	0.522	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.199	0.474	0.490	0.50	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.176	0.420	ND	ND	
Tetrahydrocannabivarin (THCV)	0.040	0.095	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.155	0.371	ND	ND	
Total Cannabinoids			11.400	11.50	
Total Potential THC			0.490	0.50	
Total Potential CBD			10.650	10.70	

Final Approval


Sam Smith
28Aug2023
02:50:00 PM MDT
PREPARED BY / DATE


Karen Winternheimer
28Aug2023
02:52:00 PM MDT
APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2f3e9dcd-9142-43dd-9d0f-c22bf6a13b64>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
2f3e9dcd914243dd9d0fc22bf6a13b64.1